




Valtra N -serie (TIER 4 FINAL)

N104 - N114e - N124 - N134 - N154e - N174

- Maximum steering angle is fully retained due to the use of short side plates
- Compatible as standard with corresponding front loaders ex works
- Front control is available for both lifting and lowering as well as for additional hydraulic connections
- Also available including ECO PTO and PTO suitable for front linkages ex works
- Full engine power transferable with standard PTO

Afbeeldingen





Front linkage system design

- Front linkage 35 kN supported by means of side plates
- Top plate ready for fitting of front hydraulics, 7-pole connector and chain hooks
- Can also be supplied with heavy-duty lifting arm set
- Can be set to a single-acting, double-acting and transport position with the multi-valve supplied as standard
- Removable linkage arms with a transport, fixed and oscillation setting
- Comes with high quality Walterscheid lifting hooks
- Perfect design due to tractor-specific connections
- Supplied with a top link, balls and towing hook

Front PTO system design

- Can also be supplied with an integrated rev counter in the tractor dashboard
- Comes with an oil cooler as standard
- Full engine power transferable with standard PTO
- Output shaft can always be rotated over 60 degrees for maximum ease of connection
- PTO clutch engagement time variable to ensure smooth engagement
- Non-rotating output shaft in unloaded condition
- Oil immersed clutch plates ensures a long service life
- Supplied with protective cover for PTO stump

Additional Info

Front linkage system:

- Front linkage is supplied fully pre-assembled
- Side plates are mounted to the top plate by means of welds
- Supplied professional installation manual in 4 languages simplifies installation

PTO system:

- Easily replaceable V-belt using homokinetic joint
- Integrated oil system guarantees rapid PTO installation as it is independent of the tractor's hydraulic system
- PTO includes measuring points for easy locating of faults
- PTO is activated by means of the supplied switch for use inside the cabin
- Supplied professional installation manual in 4 languages simplifies installation

Other details:

- When midmount-version please order Zuidberg kit 1303704
- When using integrated PTO control, please order Zuidberg exchange kit 1303799
- When no midmount-version, please order also kit ACV0171780 at Valtra